

**AMENDMENTS TO THE CLAIMS**

1. (currently amended) An online organizing method comprising the steps of:

inputting an organizing request from a participant;

searching personal information of participants of a plurality of terminals connected to a network;

selecting the participants, who are compatible with one another, based on the personal information of the participants and the organizing request to organize selected participants; and

sharing information by the terminals of the organized participants; and

transmitting to the respective terminals control information for carrying out a specific task,

wherein the personal information of the participants includes a purpose for participation in said task and the organizing request includes a desired purpose.

2. (original) An online organizing method according to claim 1, wherein for collecting on line the information for the organization from the terminals connected to the network, the participants input information by selecting items displayed on the screens to input the information.

3. (currently amended) An online organizing method comprising the steps of:

inputting an organizing request from a participant;

searching personal information of participants of a plurality of terminals connected to a network;

selecting the participants, who are compatible with one another, based on the personal information of the participants and the organizing request to organize the selected participants;

sharing information by the terminals of the organized participants; and

transmitting control information for starting a program to be carried out on the terminals from an intervening stage of the program,

wherein the personal information of the participants includes a purpose for participation in said program and the organizing request includes a desired purpose.

4. (original) An online organizing method according to claim 3, wherein said program is an online game, and said intervening stage is one of stages of the online game.

5. (currently amended) A server comprising:

organizing means for, based on personal information of participants of a plurality of terminals connected to a network and an organizing request from at least one of the participants, selecting the participants, who are compatible with one another, to organize the selected participants, said personal information including a participant purpose and the organizing request includes a desired purpose; and

information sharing means for interconnecting the terminals of the organized participants to share information.

6. (original) A server according to claim 5, wherein  
said participants organized by the organizing means are supplied as they are  
to said information sharing means.

7. (original) A server according to claim 5, wherein  
said server transmits control information for carrying out a specific task to  
the terminals of the participants organized by the organizing means.

8. (original) A server according to claim 7, wherein  
said specific task is a task for starting a program to be carried out on said  
plurality of terminals from an intervening stage of the program.

9. (original) A server according to claim 8, wherein  
said program is an online game, and said intervening stage is one of stages of  
the online game.

10. (original) A terminal device to be connected to the server according to  
claim 5, comprising:

external memory means for storing personal information of a participant,  
when the terminal device is connected to the server, the personal information  
stored in the external memory means is uploaded to the server.

11. (original) An external memory means provided in the terminal device  
according to claim 10 and storing the personal information of the users.

12. (currently amended) A terminal device for a network system in which a plurality of the terminal devices are connected to a server,

    said terminal device transmitting personal information of a user to the server; sharing information through the server among the rest terminal devices organized by the server; and cooperating with the rest terminal devices to carry out a specific task,

wherein the personal information includes a user purpose for the task.

13. (original) A terminal device according to claim 12, wherein

    said specific task is a task for starting a program to be carried out by said plurality of the terminal devices from an intervening stage of the program.

14. (original) A terminal device according to claim 13, wherein

    said program is an online game, and said intervening stage is one of stages of the online game.

15. (currently amended) A task carrying out method in which terminal devices connected to a server, comprising the steps of:

    transmitting personal information of the users of the terminal devices to the server;

    sharing information through the server among the rest terminal devices organized by the server; and

    cooperating with the rest terminal devices to carry out a specific task,

wherein the personal information includes a user purpose for the task and said transmitting step occurs in response to a user request that includes a desired purpose.

16. (currently amended) A computer readable storage medium storing a program for a server, said program for operating the server to perform an organizing method, said method comprising the steps of:

inputting an organizing request from a participant;

searching personal information of the participants of a plurality of terminals connected to a network;

selecting the participants, who are compatible with one another, based on the personal information of the participants and the organizing request;

sharing information among the terminals of the organized participants; and

transmitting control information for carrying out a specific task,

wherein the personal information of the participants includes a purpose for participation in said task and the organizing request includes a desired purpose.

17. (currently amended) ) A computer readable storage medium storing a program for a terminal device, said program for operating the device to perform an organizing method, said method comprising the steps of:

transmitting to a server personal information of users based on a user request;

sharing information through the server among the rest terminal devices organized by the server; and

cooperating with the rest terminal devices to carry out a specific task,

wherein the personal information includes a user purpose for the task.

18. (canceled)

19. (canceled)

20. (new) An online organizing method according to claim 1, wherein the personal information of participants are previously input into the terminals by the participants and stored in the terminals, said method further comprising the step of transmitting the personal information stored in the terminals when the terminals are connected to the network.

21. (new) An online organizing method according to claim 3, wherein the personal information of participants are previously input into the terminals by the participants and stored in the terminals, said method further comprising the step of transmitting the personal information stored in the terminals when the terminals are connected to the network.

22. (new) The server according to claim 5, wherein the personal information of participants are previously input into the terminals by the participants and stored in the terminals, the terminals transmitting the stored personal information when the terminals are connected to the network.

23. (new) The terminal device of claim 12, wherein the personal information of participants are previously input into said terminal devices by the participants and

stored in said terminal devices, said terminal devices transmitting the stored personal information when said terminal devices are connected to the network.

24. (new) The method according to claim 15, wherein the personal information of participants are previously input into the terminal devices by the participants and stored in the terminal devices, said method further comprising the step of transmitting the personal information stored in the terminal devices when the terminal devices are connected to the network.